

**AVALIAÇÃO DE RISCO À SAÚDE HUMANA POR
RESÍDUOS DE PESTICIDAS
EM CIDADE DOS MENINOS, DUQUE DE CAXIAS**

2002

BIBLIOGRAFIA

Bibliografia

ATSDR (Agency for Toxic Substances and Disease Registry). 1989. Toxicological profile for 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

ATSDR (Agency for Toxic Substances and Disease Registry). 1992. Public Health Assessment Guidance Manual. Lewis Publishers. Boca Raton – Ann Arbor – London – Tokyo. 220 pp.

ATSDR (Agency for Toxic Substances and Disease Registry). 1994. Toxicological Profile for Hexachlorocyclohexanes (HCH). Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

ATSDR (Agency for Toxic Substances and Disease Registry). 1998. Toxicological Profile for Chlorinated Dibenzo-*p*-Dioxins (CDD's). Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

ATSDR (Agency for Toxic Substances and Disease Registry). 1999a. Toxicological Profile for Chlorophenols. Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

ATSDR (Agency for Toxic Substances and Disease Registry). 1999b. Toxicological Profile for Alpha-, beta-, gamma-, and delta- hexachlorocyclohexane . Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

ATSDR (Agency for Toxic Substances and Disease Registry). 2000. Toxicological Profile for DDT, DDE, DDD. Atlanta, GA: US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

Baden-Württemberg, Ministério do Meio Ambiente. 1992. Erlaß na die Regierungspräsidien, Az 44-8810.30/80, Jan.1992. *apud* Braga AMC.2000. Relatório – Determinação de dibenzo-*p*-dioxinas policloradas e dibenzofuranos em amostras de solo coletadas na Cidade dos Meninos – Duque de Caxias – Estado do Rio de Janeiro.

Barreto ABC. 1998. Avaliação de condições hidrogeológicas e da contaminação do sub-solo por HCH na Cidade dos Meninos, RJ. RJ. Tese de Mestrado – PUC. 137 pp.

Baumann K, Angerer J, Heinrich R, et al. 1980. Occupational exposure to hexachlorocyclohexane: I. Body burden of HCH-isomers. Int Arch Occup Health 47: 119-127.

Baumann K, Behling K, Brassow H-L. et al. 1981. Occupational exposure to hexachlorocyclohexane: III. Neurophysiological findings and neuromuscular function in chronically exposed workers. Int Arch Occup Environ Health 48: 165-172.

Beck H, Eckart K, Mathar W, et al. 1989. PCDD and PCDF body burden from food intake in the Federal Republic of Germany. *Chemosphere* 18:417-424.

Bijos, GM.1961. Cinco anos entre os sanitaristas. *Revista de Química e Farmácia*, 26 (6): 13 – 79. *apud* FIOCRUZ (Fundação Oswaldo Cruz). 1998. Informe do Centro de Saúde Do Trabalhador e Ecologia Humana da Escola Nacional de Saúde Pública da Fundação Oswaldo Cruz (CESTEH/ENSP/FIOCRUZ) ao Ministério Público sobre as atividades realizadas com relação ao caso de contaminação por “BHC” na cidade dos meninos, Duque de Caxias, Rio de Janeiro – abril de 1998.

Birmingham B, Thorpe B, Frank R, et al. 1989. Dietary intake of PCDD and PCDF from food in Ontario, Canada. *Chemosphere* 19:507-512.

Borges AF. 1996. Avaliação dos mecanismos de transporte de Hexaclorociclohexano (HCH) no solo da Cidade dos Meninos, Duque de Caxias, RJ. Tese de Mestrado – PUC. 205 pp.

Braga AMC.1996. Contaminação ambiental por HCH em escolares na cidade dos meninos. Tese de Mestrado-FIOCRUZ.

Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in the atmosphere: An assessment of available data. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/3-83-027a.

Boul HL, Garnham ML, Hucker D, et al. 1994. Influence of agricultural practices on the levels of DDT and its residues in soil. *Environ Sci Technol* 28(8):61-66.

CE - Comunidade Européia. 2001.. Comissão Científica para Agricultura da Comunidade Européia. Council directives 76/895/EEC; 86/362/EEC; 86/363/EEC E 90/642/EEC – 12 de marco de 2001.

CETESB - Companhia de Tecnologia de Saneamento Ambiental. 2002. Relatório técnico de caracterização dos focos secundários – “Projeto Cidade dos Meninos”. CETESB.

DECIT. 2001. (Departamento de Ciência e Tecnologia em Saúde/MS). Relatório sobre o trabalho de campo de vistorias domiciliares em Cidade dos Meninos – Duque de Caxias – RJ – para identificação de focos secundários de contaminação por pesticidas organoclorados. Brasília – Dezembro 2001.49 pp.

Des Rosiers PE. 1987. National dioxin study. *ACS Sympos Ser* 338:34-53.

Ding J-Y, Wu S. 1997. Transport of organochlorine pesticides in soil columns enhanced by dissolved organic carbon. *Water Sci Technol* 35(7):139-145.

Domingues, LAE. 2001. Determinação de focos secundários de contaminação por hexaclorociclohexano no solo da Cidade dos Meninos, Duque de Caxias (RJ). Tese de Mestrado. ENSP – Escola Nacional de Saúde Pública. Fundação Oswaldo Cruz. 111 pp.

Durell GS, Sauer TC. 1990. Simultaneous dual-column, dual-detector gas chromatographic determination of chlorinated pesticides and polychlorinated biphenyls in environmental samples. *Anal Chem* 62:1867-1871.

Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1): 30-38.

Ert, M.D.V. e Sullivan, J.B. 2001. Specific Health Hazards and Toxins. In Sullivan and Krieger . (eds.) *Clinical Environmental Health and Toxic Exposures*. Williams & Williams

EPA. 1987. The National Dioxin Study; Tiers 3, 5, 6, and 7. Office of Water Regulations and Standards. Washington DC EPA 440/4-87-003

EPA. 1996. National listing of fish and wildlife consumption advisories. Office of Science and Technology. Washington D.C. EPA 823-C-96-011

FEEMA/CECAB.1991. BHC abandonado na Cidade dos Meninos – município de Duque de Caxias/RJ: Coletânea de documentos. Rio de Janeiro. CECAB, FEEMA.

FEEMA. – Fundação Estadual de Engenharia do Meio Ambiente.2001. Ofício FEEMA/PRES N°056/01 de 16/01/2001. Parecer técnico referente a remoção de 10 famílias residentes próximo à área foco, local da antiga fábrica de hexaclorociclohexano (HCH), na cidade dos Meninos, em Duque de Caxias, RJ.

FEEMA/GTZ/CETESB. 1997. Relatório “Investigação de áreas contaminadas por HCH - cidade dos meninos”.

FEEMA – Fundação Estadual de Engenharia do Meio Ambiente. 2002. Qualidade e Contaminação do ar. Cidade dos Meninos. Município de Duque de Caxias. Parte I. Monitoramento em áreas identificadas como focos de contaminação. Hexaclorociclohexano (HCH). Relatório. 18 pp.

FIOCRUZ (Fundação Oswaldo Cruz). 1998. Informe do Centro de Saúde Do Trabalhador e Ecologia Humana da Escola Nacional de Saúde Pública da Fundação Oswaldo Cruz (CESTEH/ENSP/FIOCRUZ) ao Ministério Público sobre as atividades realizadas com relação ao caso de contaminação por “BHC” na cidade dos meninos, Duque de Caxias, Rio de Janeiro – abril de 1998.

FIOCRUZ (Fundação Oswaldo Cruz). 2000. Determinação de Dibenzo-p-Dioxinas Policloradas e Dibenzofuranos em Amostras de Solo Coletadas na Cidade dos Meninos, Duque de Caxias, RJ.

FIOCRUZ (Fundação Oswaldo Cruz). 2000a. Cidade dos Meninos – Relatório da Determinação de Hexaclorociclohexano (HCH) em solo superficial das três áreas indicadas para o assentamento das famílias residentes próximo à área foco. 13 pp.

FIOCRUZ (Fundação Oswaldo Cruz). 2001. Relatório: Resultados das análises de determinação de compostos organoclorados em solo da Cidade dos Meninos.

Firestone D, Niemann RA, Schneider LF, et al. 1986. Dioxin residues in fish and other foods. In: Rappe C, Choudhary G, Keith LH, eds. Chlorinated dioxins and dibenzofurans in perspective. Chelsea, MI: Lewis Publishers, Inc., 355-365.

Fitzhugh OG, Nelson AA, Frawley JP. 1950. The chronic toxicities of technical benzene hexachloride and its α , β and γ isomers. J Pharmacol Exp Ther 100: 59-66.

Franchi E & Focardi. 1991. Polychlorinated biphenyl congeners. Hexachlorobenzene and DDTs in human milk in Central Italy. The Science of Total Environment, 102: 223-228.

Ginsburg CM, Lowry W, Reisch JS. 1977. Absorption of lindane (γ benzene hexachloride) in infants and children. J. Pediatrics 91:998-1000.

Hassall, KA.1990. The chemistry and uses of pesticides. 2^a. edição. New York: VHC Publishers. 536 pp. *Apud*: Mello JL. 1999. Avaliação da contaminação por HCH e DDT dos leites de vaca e humano provenientes da Cidade dos Meninos, Duque de Caxias-RJ. Tese de Mestrado – FIOCRUZ.

Heinisch E, Jonas K, Klein S. 1993. HCH isomers in soil and vegetation from the surroundings of an industrial landfill of the former GDR, 1971-1989. Sci Total Environ (Suppl Part 1):151-159.

Hellenbeck, W.H. 1993. Quantitative risk assessment for environmental and occupational health. Lewis Publishers, INC. 224 pp.

Hites R, Harless R, 1991. Atmospheric transport and deposition of polychlorinated dibenzo-p-dioxins and dibenzofurans. Office of Research and Development, US Environmental Protection Agency, Research Triangle Park, NC. EPA/600/3-91/002

Hollifield HC. 1979. Rapid nephelometric estimate of water solubility of highly insoluble organic chemicals of environmental interest. Bull Environ Contam Toxicol 23:579-586.

Howard P, Meylan W, eds. 1997. Handbook of physical properties of organic chemicals. Boca Raton, FL: CRC Press, Lewis Publishers, 3, 1849518,723.

Hutzinger O, Blumich MJ, Berg M, et al. 1985. Sources and fate of PCDDs and PCDFs: An overview. Chemosphere 14: 581-600

IBGE – Instituto Brasileiro de Geografia e Estatística. 2.000. Censo Demográfico.

Ito N, Nagasaki H, Aoe H, et al. 1975. Development of hepatocellular carcinomas in rats treated with benzene hexachloride. J Natl Cancer Inst 54: 801-805.

Jasinski JS. 1989. Multiresidue procedures for the determination of chlorinated dibenzodioxins and dibenzofurans in a variety of foods using capillary gas chromatography-electron-capture detection. J Chromatogr 478:349-367.

Kar S, Singh PK. 1979. Detoxification of pesticides carbofuran and hexachlorocyclohexane by blue-green algae *Nostoc muscorum* and *Wollea bharadwajae*. *Microbios Lett* 10:111-114.

Kashyap SK. 1986. Health surveillance and biological monitoring of pesticide formulators in Índia. *Toxicol Lett* 33: 107-114.

Klaasen, CD & Rozman, K.1991. Absortion, distribution, and excretion of toxicants. *Apud* Mello JL. 1999. Avaliação da contaminação por HCH e DDT dos leites de vaca e humano provenientes da Cidade dos Meninos, Duque de Caxias-RJ. Tese de Mestrado – FIOCRUZ

Kraus, T & Braga. 2000. PCDD/F-Concentrations in Soil and Cows' Milk from a Hexachlorocyclohexane Contaminated Área in Rio de Janeiro - Brazil. *Organohalogen Compounds Vol. 46: 354-357.*

Kurtz DA, Atlas EL. 1990. Distribution of hexachlorocyclohexanes in the Pacific Ocean Basin, air and water, 1987. *Long Range Transp Pestic* 143-160.

Lozana JA; Iguchi T; Koifman S. 2001. Metodologia de amostragem domiciliar, Projeto Determinação dos níveis de exposição a pesticidas organoclorados, Cidade dos Meninos e Pilar, município de Duque de Caxias, RJ.

Machholz RM, Kujawa M. 1985. Recent state of lindane metabolism: Part III. *Res Rev* 94:119-149.

McCrary JK, Maggard SP. 1993. Uptake and photodegradation of 2,3,7,8-tetrachlorodibenzo-p-dioxin sorbed to grass foliage. *Environ Sci Tech* 27:343-350.

McLachlan MS, Hinkel M, Reissinger M. et al. 1994. A study of the influence of sewage sludge fertilization on the concentration of of PCDD/F and PCB in soil and milk. *Environmental Pollution* 85: 337-343

Melancon SM, Pollard JE, Hern SC. 1986. Evaluation of SESOIL, PRZM and PESTAN in a laboratory column leaching experiment. *Environ Toxicol Chem* 5:865-878.

Mello JL. 1999. Avaliação da contaminação por HCH e DDT dos leites de vaca e humano provenientes da Cidade dos Meninos, Duque de Caxias-RJ. Tese de Mestrado – FIOCRUZ

Menzie, CM. 1980. Metabolism of Pesticides - Update III. Special Scientific Report- Wildlife No. 232. Washington, DC: U.S.Department of the Interior, Fish and Wildlife Service, 75.

Metcalf, R.L. 1997. Pesticides in the environment. Volume 1, Cap. 1, pág 86. New York. Ed.: R.White-Stevens Editors).

Metcalf RL. 1995. Insect Control Technology. In: Kroschwitz J, Howe-Grant M, eds. Kirk-Othmer encyclopedia of chemical technology. Volume 14. New, York, NY: John Wiley and Sons, Inc.,524-602.

MVROM (Ministerie van Volkshuisvesting, Ruimtelijke Ordening en Milieubeheer) Directoraat-Generaal Milieubeheer. *Stofen en Normen – Overzicht van velangrijke stoffen en normen in het milieubeleid*. Samson, Alphen aan den Rijn, Nederland, 1999

Nagasaki H, Kawabata H, Miyata K, et al. 1975. Effects of various factors on induction of liver tumors in animals by the α -isomer of benzene hexachloride. *Gann* 66:185-191.

Nerin, C; Tornes, AK, Domño, C & Cacho, J. 1995. Determination of organochlorine pesticides in animal diet: A comparative study of clean-up procedures. *Fresenius Journal of Analytical Chemistry*, 352: 364-371. *apud*: Mello JL. 1999. Avaliação da contaminação por HCH e DDT dos leites de vaca e humano provenientes da Cidade dos Meninos, Duque de Caxias-RJ. Tese de Mestrado – FIOCRUZ

Nestrick TJ, Lamparski LL, Frawley NN, et al. 1986. Perspectives of a large scale environmental survey for chlorinated dioxins: Overview and soil data. *Chemosphere* 15:1453-1460.

Nigam SK, Karnik AB, Majumder SK, et al. 1986. Serum hexachlorocyclohexane residues in workers engaged at a HCH manufacturing plant. *Int Arch Occup Environ Health* 57: 315-320.

Nordmeyer H, Pestemer W, Rahman A. 1992. Sorption and transport behavior of some pesticides in groundwater sediments. *Stygologia* 7:3-11.

Oliveira RM. 1994. Estudo da contaminação do solo e pasto causada por hexaclorociclohexano (HCH), na Cidade dos Meninos, Duque de Caxias, RJ.

Oliveira MAG & Dores EFGC, 1998. Níveis de praguicidas organoclorados no leite materno de uma população de Cuiabá – Mato Grosso. *Pesticidas: R.Ecotoxicol. e Meio Ambiente*, Curitiba, v. 8, p. 77 – 90, jan./dez.1998.

Paustenbach D, Finley B, Lau V, et al. 1991. An evaluation of the inhalation hazard posed by dioxin-contaminated soil. *Regul Toxicol Pharmacol* 6: 284-307

Rao PSC, Davidson JM. 1982. Retention and transformation of selected pesticides and phosphorous in soil-water systems: A critical review. Report to Environmental Research Laboratory, Athens, GA, by Florida University, Gainesville. EPA 600/3-82-060.

Reinhart DR, Pohland FG. 1991. The assimilation of organic hazardous wastes by municipal solid waste landfills. *J Ind Microbiol* 8:193-200.

Ryan JJ, Beaudoin N, Mills P, et al. 1997. Dioxin-like compounds in total diet food, Canada 1992-93. *Organohalogen Compounds* 32:121-124.

Samuel T & Pillai MKK. 1990. Effect of temperature and sunlight exposure on the fate of soil-applied [14 C]- γ -hexachlorocyclohexane. *Arch Environ Contam Toxicol* 19:214-20.

Schechter A, Startin J, Wright C, et al. 1994. Congener-specific levels of dioxins and dibenzofurans in U.S. food and estimated daily dioxin toxic equivalent intake. *Environ Health Perspectives*. 102 (11): 962-966.

Schechter A, Papke O, Lis A, et al. 1996. Decrease in milk and blood dioxin levels over two years in a mother nursing twins: Estimates of decreased maternal and increased infant dioxin body burden from nursing. *Chemosphere* 32:543-549.

Scholz, B. 1987. *Chemosphere*, Vol 16, 1829-1834 *apud* Kraus, T & Braga. 2000. PCDD/F-Concentrations in Soil and Cows' Milk from a Hexachlorocyclohexane Contaminated Area in Rio de Janeiro - Brazil. *Organohalogen Compounds* Vol. 46: 354-357.

Servos MR, Muir DCG, Webster GRB. 1989. The effect of dissolved organic matter on the bioavailability of polychlorinated dibenzo-p-dioxins. *Aquat Toxicol* 14:169-184.

Silva, A. S 2002. Exposição humana a resíduos organoclorados na Cidade dos Meninos – Duque de Caxias, RJ (mimeo).

Singh, PP; Battur, RS; Singh, B & Kalra, RL. 1993. Fate and interconversion of α -, β -, γ - and δ -HCH on gram (*Cicer arietinum* Linn) plants under subtropical field conditions at Ludhiana, Índia. *Bulletin of Environmental Contamination Toxicology*, 50: 798 –801.

Stein VB, Amin TA, Narang RS. 1987. Simplified method for determining polychlorinated biphenyls, phthalates, and hexachlorocyclohexanes in air. *J Assoc Off Anal Chem* 70:721-723.

Sullivan, J.B., Krieger. 2001. (eds.) *Clinical Environmental Health and Toxic Exposures*. Willians § Willians

Swartjes, F. A. 1999. Risk-based Assessment of soil and groundwater quality in the Netherlands: Standards and Remediation Urgency. *Risk Analysis*. Vol. 19, No. 6.

Sweeney RA. 1969. Metabolism of lindane by unicellular algae. *Proc Conf Great Lakes Res* 1969:98-102.

Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.

Teixeira, Gilmaro M.; Toledo, Alexandra S.; Sayeg, Fátima; Silva, Francisco E.; Bejgel, Ilana; Diniz, Lynd S.; Lorenzo, Mônica e Motta, Tânia. 1998. Considerações gerais sobre o espaço urbano, condições de saúde e a tuberculose em Duque de Caxias, Rj. Sociedade QTROP de Química Fina para o Combate a Doenças Tropicais. <http://www.qtrop.org.br/espacourbano.html>

Tiernan TO, Taylor ML, Garret JH et al. 1985. Sources and fate of polychlorinated dibenzodioxins, dibenzofurans and related compounds in human environments. *Environ Health Perspect* 59: 145-158

Torres, Rogério. 2001. Duque de Caxias. Instituto de Pesquisas e Análises Históricas e de Ciências Sociais da Baixada Fluminense. <http://www.ipahb.com.br/caxias.htm>

Tsezos M, Wang X. 1991. Biosorption and biodegradation interactions—a study on lindane. *Biotech Forum Europe* 8:120-125.

UNICAMP, 1999. Relatório de Pesquisa sobre o problema da contaminação pelo HCH da Cidade dos Meninos, Duque de Caxias, RJ. (mimeo).

Verma A, Pillai MKK. 1991. Bioavailability of soil-bound residues of DDT and HCH to certain plants. *Soil Biol Biochem* 23:347-351.

WHO (World Health Organization). 1990. Public Health impact of pesticides used in agriculture. WHO. 128 pp.

WHO (World Health Organization). 1991. Lindane. *Environmental Health Criteria*. No 124. WHO. 208 pp.

WHO (World Health Organization). 1991a. Alpha- and beta-hexachlorociclohexanes. *Environmental Health Criteria*. No 123. WHO. 170 pp.

WHO (World Health Organization). 1997. WHO toxic equivalent factors (TEFs) for dioxin-like compounds for humans and wildlife. *Environ Health Perspect* 106(12): 775-792

WHO (World Health Organization). 1998. Guidelines for drinking-water quality, 2nd ed. Vol. 2 Health criteria and other supporting information, 1996 (pp. 940-949) and Addendum to Vol.2 . (pp. 281-283) Geneva, World Health Organization.

Yanders AF, Orazio CE, Puri RK, et al. 1989. On translocation of 2,3,7,8-tetrachlorodibenzo-p-dioxin: time dependent analysis at the Times Beach experimental site. *Chemosphere* 19: 429-432

Yousefi Z, Walters RW. 1987. Use of soil columns to measure sorption of dioxins to soil. *Toxic Hazard Wastes* 19: 181-193

Zoetemann BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere* 9:231-249.

Sites consultados

IRIS – EPA ,2002 - <http://toxnet.nlm.nih.gov/>